Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20050022142").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 08:12
S2	3820	scan adj (cell or chain)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:16
S3	148	(scan adj (cell or chain)) same (wafer or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:17
S4	54	((design adj rule) or width or (critical adj dimension) or CD) and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 08:34
S5	45	(via or (via adj nole)) and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:20
S6	9	constraint and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/12 16:21
S7	2651	(wafer adj acceptance adj test) or WAT	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:12
S8	8	(scan\$3 near2 (cell or chain)) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 08:24
S9	9	(scan\$4 near2 (cell or chain)) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 08:32
S10	3	(scan\$4 with (shift adj register)) and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 08:28
S11	8615	"716"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 08:28
S12	3	S7 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 08:28

S13	185	(scan\$4 near2 (cell or chain)) with (wafer or substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:55
S14	86	((design\$3 adj rule) or width or (critical adj dimension) or (minimum adj dimension)) and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:07
S15	75	layer and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 08:36
S16	5	(rout\$3 with layer) and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 08:40
S17	24	(metal near2 layer) and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR'	ON	2005/04/13 14:08
S18	6	((design\$3 adj rule) or (critical adj dimension) or (minimum adj dimension)) and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 13:25
S19	10	(("5293387") or ("5546408") or ("6151694") or ("6185707") or ("6308293")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13 13:26
S20	2	"6618830"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 13:34
S21	0	(shift adj register) and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 13:38
S22	61	(("4055754") or ("4092733") or ("4191996") or ("4703436") or ("4872168") or ("4896055") or ("4899208") or ("4956602") or ("4961053") or ("5012187") or ("5173906") or ("5241266") or ("5294776") or ("5307010") or ("5313424") or ("5315130") or ("5323035") or ("5366906") or ("5444366") or ("5453404") or ("5483175") or ("5570032") or ("5590079") or ("5600257") or ("5608335") or ("5648661") or ("5696404") or ("569872459")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/04/13:13:38

S23	23	"6233184"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 13:39
S24	15	scan\$4 and (S22 or S23)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 13:39
S25	9	(scan\$4 same (wafer or substrate)) and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:06
S26	4	((design\$3 adj rule) or width or (critical adj dimension) or (minimum adj dimension)) and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 13:41
S27	46194	(scan\$4 with (wafer or substrate))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:07
S28	34890	scan\$4 with substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:07
S29	14600	((design\$3 adj rule) or width or (critical adj dimension) or (minimum adj dimension)) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:47
S30	2879	(metal near2 layer) and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:48
S31	256	(shift adj register) and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:10
S32	156	clock and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:10
S33	117	length and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:13
S34	93	(pass\$3 or fail\$3) and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:58

S35	85	(contact or pad) and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:49
S36	26	test\$3 and \$35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:36
S37	2	S11 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:37
S38	2	S11 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:37
S39	0	"714"/\$.ccls. and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:37
S40	0	"714"/\$.ccls. and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:38
S41	1	"714"/\$.ccls. and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:51
542	1081	((design\$3 adj rule) or (critical adj dimension) or (minimum adj dimension)) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:56
S43	288	(metal near2 layer) and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:57
S44	244	(contact or pad) and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:49
S45	3	S11 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:49
S46	0	"714"/\$:ccls: and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 15:31

S47	. 0	"714"/\$.ccls. and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:52
S48	0	"365"/\$.ccls. and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:52
S49	0	"365"/\$.ccls. and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:53
S50	0	"365"/\$.ccls. and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:53
S51	14	"365"/\$.ccls. and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:54
S52	365	(scan\$4 near2 (cell or chain)) same substrate	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:56
S53	. 47	((design\$3 adj rule) or (critical adj dimension) or (minimum adj dimension)) and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:56
S54	35	(metal near2 layer) and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:57
S55	35	(pass\$3 or fail\$3) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 14:58
S56	34	length and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 15:24
S57	3	S11 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 15:24
S58	2	"714"/\$.ccls. and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/13 15:33

S59	0	"365"/\$.ccls. and S53	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2005/04/13 15:33
			DERWENT			